

BLUE GEL ANESTHETIC

For Use By Licensed Professionals Only

Directions: Use this product during painful procedures to continue the anesthetic effects of your pre-procedure topical anesthetic, or to deaden broken skin. It will have no effect if applied to unbroken skin. This product contains 4% lidocaine and 2% tetracaine, together with a vascular constrictor, which reduces swelling, bruising and bleeding. This makes it the anesthetic of choice for fast onset and reduction of areas, such as lips or inner arms, where bruising and bleeding are a problem. Apply to the procedure area (do not put in the eyes or mouth) with an applicator, cover with plastic, wait 2-5 minutes, or until anesthetic effect occurs. Wipe off thoroughly before continuing your procedure so that the glycerin base does not saturate the skin. You generally do not need to reapply this product, as it will keep skin anesthetized and constricted for up to two hours.

Always wear gloves while applying and rinse the procedure area thoroughly upon completion. If you need more anesthetic effect before you have finished your procedure, use to continue the anesthetic effect.

External Use Only. Temporarily relieves pain and swelling associated with tattooing, permanent makeup, piercing or other pain sensitive procedures.

Store in cool dark place out of children's reach. Discard by expiration date.

Certain persons can develop allergic reactions to the ingredients in this product. Check with client for history of allergic reactions to topical anesthetics before applying. Sensitivity test advised prior to use. If sensitivity occurs, stop use and seek medical attention as needed. If condition worsens or does not improve in seven days, or clears up and occurs again within a few days discontinue use and consult a doctor. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Do not use if pregnant or nursing. In case of accidental contact with eyes, rinse immediately with copious amounts of eyewash. Seek care by an eye care physician. If accidentally swallowed, get medical help immediately.